

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BeE: Betts-----	45	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Ethan-----	40	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Bo: Bon-----	90	Very limited Flooding Frost action	1.00 0.50	Very limited Cutbanks cave Depth to saturated zone Flooding	1.00 0.61 0.60	Somewhat limited Flooding	0.60
Ca: Chaska-----	85	Very limited Frost action Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Cutbanks cave Flooding	1.00 1.00 0.60	Very limited Depth to saturated zone Flooding	1.00 0.60
Cb: Chaska-----	85	Very limited Frost action Flooding Depth to saturated zone	1.00 1.00 0.19	Very limited Cutbanks cave Depth to saturated zone Flooding	1.00 1.00 0.80	Very limited Flooding Depth to saturated zone	1.00 0.19
Cc: Clamo-----	85	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Cutbanks cave Too clayey	1.00 0.60 0.10 0.03	Very limited Depth to saturated zone Flooding	1.00 0.60

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CdA: Clarno-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
CdB: Clarno-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
CeA: Clarno-----	55	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Davison-----	30	Very limited Frost action Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Not limited	
CeB: Davison-----	25	Very limited Frost action Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Not limited	
CnC: Clarno-----	60	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Ethan-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
CsA: Clarno-----	60	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Stickney-----	20	Very limited Low strength Shrink-swell Frost action	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
Ct: Crossplain-----	45	Very limited Frost action Flooding Low strength Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 1.00
Harps-----	30	Very limited Frost action Low strength Depth to saturated zone Shrink-swell	1.00 1.00 0.94 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.94
DaB: Davis-----	80	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
DaC: Davis-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
DbA: Davison-----	70	Very limited Frost action Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DcB: Davison-----	45	Very limited Frost action Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Not limited	
Onita-----	30	Very limited Low strength Shrink-swell Frost action	1.00 1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
DeA: Delmont-----	85	Not limited		Very limited Cutbanks cave	1.00	Not limited	
DeB: Delmont-----	80	Not limited		Very limited Cutbanks cave	1.00	Not limited	
DmB: Delmont-----	50	Somewhat limited Depth to hard bedrock	0.84	Very limited Depth to hard bedrock Cutbanks cave	1.00 1.00	Somewhat limited Depth to bedrock Droughty	0.84 0.10
Rock Outcrop, Hard--	35	Not rated		Not rated		Not rated	
DnD: Delmont-----	55	Somewhat limited Slope	0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Slope	0.16
Talmo-----	25	Somewhat limited Slope	0.04	Very limited Cutbanks cave Slope	1.00 0.04	Somewhat limited Droughty Slope	0.41 0.04

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Do: Dimo-----	85	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	 1.00 1.00 1.00 0.50 0.03	Very limited Cutbanks cave Depth to saturated zone Flooding	 1.00 1.00 0.60	Somewhat limited Flooding Depth to saturated zone	 0.60 0.03
DsA: Dudley-----	40	Very limited Low strength Shrink-swell Frost action	 1.00 0.50 0.50	Somewhat limited Depth to saturated zone Cutbanks cave Too clayey	 0.47 0.10 0.03	Very limited Sodium content	 1.00
Stickney-----	35	Very limited Low strength Shrink-swell Frost action	 1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	 0.47 0.10	Not limited	
Du: Durrstein-----	85	Very limited Flooding Shrink-swell Low strength Depth to saturated zone Frost action	 1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	 1.00 0.60 0.28 0.10	Very limited Sodium content Depth to saturated zone Salinity Flooding	 1.00 1.00 1.00 0.60
EaC: Egan-----	80	Very limited Frost action Low strength Shrink-swell	 1.00 1.00 0.50	Somewhat limited Cutbanks cave	 0.10	Not limited	
EbC2: Egan-----	60	Very limited Frost action Low strength Shrink-swell	 1.00 1.00 0.50	Somewhat limited Cutbanks cave	 0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Betts-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
EgB: Egan-----	40	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Wentworth-----	40	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
EnA: Enet-----	80	Not limited		Very limited Cutbanks cave	1.00	Not limited	
EtB: Ethan-----	55	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Betts-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
EtC2: Ethan-----	50	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Betts-----	30	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EtD: Ethan-----	45	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
Betts-----	30	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
EuB: Clarno-----	40	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Ethan-----	40	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
EuC: Ethan-----	45	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Clarno-----	40	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
EwC: Ethan-----	50	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Homme-----	30	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Fedora-----	90	Very limited Frost action Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
GRAV: Orthents, Gravelly--	100	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty Gravel content	1.00 0.91 0.25
HaA: Hand-----	80	Somewhat limited Shrink-swell Frost action Low strength	0.50 0.50 0.22	Somewhat limited Cutbanks cave	0.10	Not limited	
HaB: Hand-----	80	Somewhat limited Shrink-swell Frost action Low strength	0.50 0.50 0.22	Somewhat limited Cutbanks cave	0.10	Not limited	
HaC: Hand-----	85	Somewhat limited Shrink-swell Frost action Low strength	0.50 0.50 0.22	Somewhat limited Cutbanks cave	0.10	Not limited	
HbC: Hand-----	60	Somewhat limited Shrink-swell Frost action Low strength	0.50 0.50 0.22	Somewhat limited Cutbanks cave	0.10	Not limited	
Betts-----	25	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
HcA: Hand-----	60	Somewhat limited Shrink-swell Frost action Low strength	0.50 0.50 0.22	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bonilla-----	25	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Shrink-swell	0.50	Cutbanks cave	0.10		
		Frost action	0.50				
HdB: Hand-----	65	Somewhat limited Shrink-swell	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
		Frost action	0.50				
		Low strength	0.22				
Davison-----	25	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.99	Not limited	
		Shrink-swell	0.50	Cutbanks cave	0.10		
HmA: Henkin-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
HmB: Henkin-----	90	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
HnB: Alwilda-----	90	Not limited		Very limited Cutbanks cave	1.00	Not limited	
HoC: Homme-----	60	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	1.00				
Ethan-----	25	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
HtA: Homme-----	60	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	1.00				

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Onita-----	25	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	1.00	Too clayey	0.03		
HtB: Homme-----	60	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
Onita-----	25	Very limited Low strength Shrink-swell Frost action	1.00 1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
Ja: James-----	80	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Flooding	0.80	Salinity	1.00
		Frost action	1.00	Too clayey	0.50	Depth to saturated zone	1.00
		Flooding	1.00	Cutbanks cave	0.10	Too clayey	1.00
		Low strength	1.00				
La: Lamo-----	80	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60	Depth to saturated zone	0.19
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Depth to saturated zone	0.19				

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lm: Lamo-----	45	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	1.00	Flooding	0.80	Depth to saturated zone	0.19
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Depth to saturated zone	0.19				
Wann-----	30	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Very limited Flooding	1.00
		Flooding	1.00	Depth to saturated zone	1.00		
				Flooding	0.80		
M-W: Miscellaneous Water-	100	Not rated		Not rated		Not rated	
Ma: Worthing-----	100	Very limited Shrink-swell	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too clayey	0.50		
		Frost action	1.00	Cutbanks cave	0.10		
		Low strength	1.00				
OaA: Onita-----	80	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	1.00	Too clayey	0.03		
PcA: Prosper-----	50	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Clarno-----	40	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Pr: Prosper-----	55	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
Stickney-----	30	Very limited Low strength Shrink-swell Frost action	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
Ps: Crossplain-----	40	Very limited Frost action Flooding Low strength Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 1.00
Prosper-----	40	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
QUAR: Rock Outcrop, Hard--	100	Not rated		Not rated		Not rated	

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ReB: Redstoe-----	85	Very limited Low strength	1.00	Somewhat limited Depth to soft bedrock	0.42	Very limited Carbonate content	1.00
		Shrink-swell	0.50	Cutbanks cave	0.10	Depth to bedrock	0.42
		Frost action	0.50				
Sa: Salmo-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.60	Salinity	1.00
		Low strength	1.00	Cutbanks cave	0.10	Flooding	0.60
		Depth to saturated zone	1.00				
		Shrink-swell	0.50				
St: Arlo-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Cutbanks cave	1.00	Flooding	0.60
		Depth to saturated zone	1.00	Flooding	0.60		
		Low strength	1.00				
		Shrink-swell	0.50				
Te: Tetonka-----	85	Very limited Shrink-swell	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too clayey	0.28		
		Frost action	1.00	Cutbanks cave	0.10		
		Low strength	1.00				
Tt: Tetonka-----	65	Very limited Shrink-swell	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too clayey	0.28		
		Frost action	1.00	Cutbanks cave	0.10		
		Low strength	1.00				

Section II
Soil and Site Information

Building Site Development
Hanson and Hutchinson
Counties, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Harps-----	25	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.94
		Low strength	1.00	Cutbanks cave	0.10		
		Depth to saturated zone	0.94				
		Shrink-swell	0.50				
Tw: Tetanka-----	40	Very limited Shrink-swell	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too clayey	0.28		
		Frost action	1.00	Cutbanks cave	0.10		
		Low strength	1.00				
Whitewood-----	40	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.60	Flooding	0.60
		Low strength	1.00	Cutbanks cave	0.10		
		Depth to saturated zone	1.00				
		Shrink-swell	0.50				
W: Water-----	100	Not rated		Not rated		Not rated	
Wa: Wann-----	90	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Somewhat limited Flooding	0.60
		Flooding	1.00	Depth to saturated zone	1.00		
				Flooding	0.60		

Section II
Soil and Site Information

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit						
Ww: Worthing-----	85	Very limited Shrink-swell Ponding Depth to saturated zone Frost action Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Cutbanks cave	1.00 1.00 0.50 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00